

KOALATY PRODUCTS, INC.
5015 N. CLARK AVE
TAMPA, FL 33614
PHONE: 813-871-5901 FAX: 813-871-5904

EMERGENCY TELEPHONE NUMBER - CHEMTREC: (800) 424-9300
OUTSIDE U.S. - (703) 527-3887

MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD,
29 CFR 1910.1200. STANDARD MUST BE CONSULTED FOR SPECIFIC REQUIREMENTS.

#

Manufacturer's Name: Koalaty Products, Inc.	Prepared by: Q/C Supervisor (Revised) 4/19/05
---	---

SECTION I - Identification

Trade name: Cats Claw Pain Relief	Product code: HO-303 (Formerly OH-610B)
---	---

DOT Class: Flammable Liquid	Health	1
	Flammability	2
	Reactivity	0

Chemical name:
Mixture.

Section II - Hazardous ingredients/identity information

<u>HAZARDOUS COMPONENTS</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Isopropyl Alcohol (Cas# 67-63-0)	400 ppm	400 ppm

All other ingredients (if any) are considered non-hazardous per OSHA 29 CFR 1910.1200

SECTION III - Chemical characteristics

Boiling point: N/D	Specific gravity (H2O=1) .984
Vapor pressure (mm Hg) N/D	Melting point: N/A
Vapor density (air=1) >1	Evaporation rate (Butyl Acetate=1) <1
Solubility in water: Completely	
Weight (lb/gal): 8.20	% Solids: 12%
Viscosity: TC @ 10 rpm 50,000 cps.	pH: 5.67

Appearance and odor:

Viscous cloudy gel with a menthol odor.

SECTION IV: - Fire and explosion hazard data

Flash point (method used)	Flammable limits	LEL	UEL
53°F (11.67°C) ASTM D-96 Tag C.C.	N/A	N/A	N/A

Extinguishing media:

Use water fog, alcohol foam, dry chemical, or carbon dioxide (CO2) to extinguish flames.

Special fire fighting procedures:

Full bunker gear recommended. Use NIOSHA approved self contained breathing apparatus.

Containers exposed to intense heat should be cooled with large quantity of water.

Unusual Fire and Explosion Hazards:

None known

SECTION V - Reactivity data

Stability	Condition to Avoid
Stable	Do not store or handle in aluminum equipment at temperatures above 120°F (48.9°C) Keep from freezing and below flash point. (40°F - 100°F)

Incompatibility (materials to avoid)

Strong oxidizing agents.

Hazardous decomposition or byproducts:

None known

Hazardous polymerization	Conditions to avoid
Will not occur	None known

SECTION VI - Health hazard data

Acute health hazards:

None known

Chronic health hazards:

None known.

Carcinogenicity:

None Known

Signs and symptoms of exposure:

Eyes:

Irritation, redness and burning.

Dermal:

None.

Inhalation:

Dizziness, headache in confined areas

Ingestion:

Irritation and nausea,

Emergency and first aid procedures.

Eyes:

Flush with large amounts of water for 15 minutes, if irritation persists, get medical attention.

Dermal:

Wash with soap & rinse well.

Inhalation:

Move to fresh air in confined areas.

Ingestion: DO NOT INDUCE VOMITING.

Give conscious subject water to dilute. Get medical attention.

SECTION VII - Precautions for safe handling and use:

Steps to be taken in case material is released or spilled:

Large Spills: Pick up with absorbent material for disposal, wash down with water

Small Spills: Wash down with water

Note:**Waste disposal method:**

FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS.

SECTION VIII - Control measures

Respiration protection (specify type) :

NIOSHA approved breathing apparatus.

Ventilation

Normal air circulation

Protective gloves

vinyl or rubber type.

Eye protection

Splash protection

Other protective clothing or equipment:

Not required

Work/Hygenic practices:

Always wash hands and face before consuming food or beverages or using smoking materials

SECTION IX - NOTES: Note to Physician:

None.

THE INFORMATION CONTAINED HERIN IS BASED ON DATA CONSIDERED ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF
THIS DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY
PERSON PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES
ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO
RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PARTY PERSONS PROXIMATELY CAUSED
BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE
FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.